

# JEMDSA

Journal of Endocrinology, Metabolism and Diabetes of South Africa

JEMDSA 2023 Volume 28 Number 3

**Please answer the following questionnaire online.**

SEMDSA and other Society members:

1. Visit our new CPD portal at <https://www.mpconsulting.co.za/>
2. Create a new account and set your CPD requirements.
3. Not a new user? You may have been registered with the following details: username: e-mail address and password: MP+0+6digits (e.g. MP0123456). All records from the previous system have now been moved to the new platform.
4. For CPD assistance please phone 086 1111 335

**1. Identify the component that is not a part of the FINDRISC scoring tool.**

- a. Physical activity
- b. Weight
- c. Waist circumference
- d. Age

**2. Which of the following adverse events is associated with hyponatraemia?**

- a. Cognitive impairment
- b. Poor bone quality
- c. Fatigue
- d. All of the above

**3. Which of the following is the most common non-physiological cause of hyperprolactinaemia?**

- a. Macroprolactin
- b. Drugs
- c. Pituitary adenomas
- d. Renal failure

**4. What is the prevalence of mosaicism in Turner's syndrome?**

- a. 10%
- b. 15%
- c. 20%
- d. 30%

**5. Which of the following statements regarding IDegAsp is false?**

- a. IDegAsp provided greater reductions in HbA1c compared with once daily U100 insulin glargine
- b. In comparison with a basal bolus regimen a greater proportion of patients achieved an HbA1c less than 7% with IDegAsp
- c. IDegAsp provided better control of fasting plasma glucose than biphasic insulin aspart
- d. IDegAsp is associated with lower rates of hypoglycaemia than biphasic insulin asp.

**6. According to the Theory of Planned Behaviour, which of the following is the most critical determinant of an individual's conduct?**

- a. Behavioural intent
- b. Subjective norms
- c. Attitudes
- d. Behavioural control